




### Features

- LED T5 replacement batten, seamless linking (up to 10M), ideal for direct lighting such as under cabinet or in kitchens, 120 degree beam angle, includes switch, includes 0.30m stripped cable, white polycarbonate body, includes standard and tilting brackets


### Product Overview

Light colour	Neutral White
ETIM Class	EC000109
Luminaire efficacy (lm/W)	111
Product name	LED PIPE L600 NW
IP rating	IP20
Photobiological Risk Group	RG0
Product EAN number	5410288513676
Technology	LED
Total power consumption (W)	6.5
Colour temperature (K)	4000
IK rating	IK03
Electrical protection	Class II
Fixture luminous flux (lm)	720
Dimmable	N
CRI (Ra)	80
Housing colour	White
Housing	PC Polycarbonate
General application	Residential & Consumer, Retail

## Photometry



## Technical drawings



## Data table

### GENERAL DATA

Product name	LED PIPE L600 NW
Technology	LED
Housing	PC Polycarbonate

General application	Residential & Consumer,Retail
Operating temperature range (°C)	-20°C - 40°C
ETIM Class	EC000109

## OPTICAL DATA

Fixture luminous flux (lm)	720
Luminaire efficacy (lm/W)	111
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0

## ELECTRICAL DATA

Total power consumption (W)	6.5
Mains voltage (V)	220-240V~
Lamp power factor	0.5
Electrical protection	Class II
Control gear required	No
Dimmable	N
Drive current (mA)	50
Inrush Current (A)	5
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	225
Max. Luminaires per 13A C Breaker	291
Max. Luminaires per 16A C Breaker	367
Max. Luminaires per 20A C Breaker	449
Max. Luminaires per 10A B Breaker	131
Max. Luminaires per 13A B Breaker	174
Max. Luminaires per 16A B Breaker	216
Max. Luminaires per 20A B Breaker	270

## LIFETIME DATA

Lumen maintenance - L70 B50	30000
-----------------------------	-------

## PHYSICAL DATA

<b>Housing colour</b>	White
<b>IP rating</b>	IP20
<b>IK rating</b>	IK03
<b>Diffuser material</b>	PC Polycarbonate
<b>Nominal Product Length (mm)</b>	600
<b>Nominal Product Width (mm)</b>	24
<b>Nominal Product Height (mm)</b>	35
<b>Weight (kg)</b>	0.085

## PACKAGING


<b>Single packaging type</b>	Carton
<b>Product EAN number</b>	5410288513676
<b>Packaging single length / height (cm)</b>	60.4
<b>Packaging single width (cm)</b>	4.6
<b>Packaging single depth (cm)</b>	3.1
<b>DUN14 (outer)</b>	15410288513673
<b>Units per outer package</b>	40
<b>Packaging outer length / height (cm)</b>	62.0
<b>Packaging outer width (cm)</b>	25.5
<b>Packaging outer depth (cm)</b>	28.5


## SAFETY DATA

<b>Special purpose lamp</b>	No
<b>Dry applications use only</b>	No
<b>Suitable for household illumination</b>	No

## Energy label

**SYLVANIA** 0051367

 This luminaire contains built-in LED lamps



The lamps cannot be changed in the luminaire.

874/2012 