




Features

- LED T5 replacement batten, seamless linking (up to 10M), ideal for direct lighting such as under cabinet or in kitchens, 120 degree beam angle, includes switch, includes 0.30m stripped cable, white polycarbonate body, includes standard and tilting brackets


Product Overview

Light colour	Neutral White
ETIM Class	EC000109
Luminaire efficacy (lm/W)	110
Product name	LED PIPE L900 NW
IP rating	IP20
Photobiological Risk Group	RG0
Product EAN number	5410288513683
Technology	LED
Total power consumption (W)	9
Colour temperature (K)	4000
IK rating	IK03
Electrical protection	Class II
Fixture luminous flux (lm)	990
Dimmable	N
CRI (Ra)	80
Housing colour	White
Housing	PC Polycarbonate
General application	Residential & Consumer,Retail

Photometry



Technical drawings



Data table

GENERAL DATA

Product name	LED PIPE L900 NW
Technology	LED
Housing	PC Polycarbonate

General application	Residential & Consumer,Retail
Operating temperature range (°C)	-20°C - 40°C
ETIM Class	EC000109

OPTICAL DATA

Fixture luminous flux (lm)	990
Luminaire efficacy (lm/W)	110
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0

ELECTRICAL DATA

Total power consumption (W)	9
Mains voltage (V)	220-240V~
Lamp power factor	0.5
Electrical protection	Class II
Control gear required	No
Dimmable	N
Drive current (mA)	100
Inrush Current (A)	100
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	146
Max. Luminaires per 13A C Breaker	189
Max. Luminaires per 16A C Breaker	238
Max. Luminaires per 20A C Breaker	291
Max. Luminaires per 10A B Breaker	85
Max. Luminaires per 13A B Breaker	113
Max. Luminaires per 16A B Breaker	140
Max. Luminaires per 20A B Breaker	175

LIFETIME DATA

Lumen maintenance - L70 B50	30000
-----------------------------	-------

PHYSICAL DATA

Housing colour	White
IP rating	IP20
IK rating	IK03
Diffuser material	PC Polycarbonate
Nominal Product Length (mm)	900
Nominal Product Width (mm)	24
Nominal Product Height (mm)	35
Weight (kg)	0.13

PACKAGING

Single packaging type	Carton
Product EAN number	5410288513683
Packaging single length / height (cm)	90.4
Packaging single width (cm)	4.6
Packaging single depth (cm)	3.1
DUN14 (outer)	15410288513680
Units per outer package	30
Packaging outer length / height (cm)	92.0
Packaging outer width (cm)	25.5
Packaging outer depth (cm)	22.0


SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No

Energy label

SYLVANIA 0051368

 This luminaire contains built-in LED lamps



The lamps cannot be changed in the luminaire.

874/2012 