




Features

- LED T5 replacement batten, seamless linking (up to 10M), ideal for direct lighting such as under cabinet or in kitchens, 120 degree beam angle, includes switch, includes 0.30m stripped cable, white polycarbonate body, includes standard and tilting brackets


Product Overview

Light colour	Neutral White
ETIM Class	EC000109
Luminaire efficacy (lm/W)	111
Product name	LED PIPE L1200 NW
IP rating	IP20
Photobiological Risk Group	RG0
Product EAN number	5410288513690
Technology	LED
Total power consumption (W)	11.5
Colour temperature (K)	4000
IK rating	IK03
Electrical protection	Class II
Fixture luminous flux (lm)	1275
Dimmable	N
CRI (Ra)	80
Housing colour	White
Housing	PC Polycarbonate
General application	Residential & Consumer,Retail

Photometry



Technical drawings



Data table

GENERAL DATA

Product name	LED PIPE L1200 NW
Technology	LED
Housing	PC Polycarbonate

General application	Residential & Consumer, Retail
Operating temperature range (°C)	-20°C - 40°C
ETIM Class	EC000109

OPTICAL DATA

Fixture luminous flux (lm)	1275
Luminaire efficacy (lm/W)	111
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0

ELECTRICAL DATA

Total power consumption (W)	11.5
Mains voltage (V)	220-240V~
Lamp power factor	0.7
Electrical protection	Class II
Control gear required	No
Dimmable	N
Drive current (mA)	100
Inrush Current (A)	100
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	111
Max. Luminaires per 13A C Breaker	144
Max. Luminaires per 16A C Breaker	181
Max. Luminaires per 20A C Breaker	222
Max. Luminaires per 10A B Breaker	65
Max. Luminaires per 13A B Breaker	86
Max. Luminaires per 16A B Breaker	107
Max. Luminaires per 20A B Breaker	133

LIFETIME DATA

Lumen maintenance - L70 B50	30000
-----------------------------	-------

PHYSICAL DATA

Housing colour	White
IP rating	IP20
IK rating	IK03
Diffuser material	PC Polycarbonate
Nominal Product Length (mm)	1200
Nominal Product Width (mm)	24
Nominal Product Height (mm)	35
Weight (kg)	0.17

PACKAGING


Single packaging type	Carton
Product EAN number	5410288513690
Packaging single length / height (cm)	120.4
Packaging single width (cm)	4.6
Packaging single depth (cm)	3.1
DUN14 (outer)	15410288513697
Units per outer package	24
Packaging outer length / height (cm)	122.0
Packaging outer width (cm)	20.5
Packaging outer depth (cm)	21.5


SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No

Energy label

SYLVANIA 0051369

 This luminaire contains built-in LED lamps



The lamps cannot be changed in the luminaire.

874/2012 