




Features

- LED T5 replacement batten, seamless linking (up to 10M), ideal for direct lighting such as under cabinet or in kitchens, 120 degree beam angle, includes switch, includes 0.30m stripped cable, white polycarbonate body, includes standard and tilting brackets


Product Overview

Light colour	Neutral White
ETIM Class	EC000109
Luminaire efficacy (lm/W)	110
Product name	LED PIPE L1500 NW
IP rating	IP20
Photobiological Risk Group	RG0
Product EAN number	5410288513706
Technology	LED
Total power consumption (W)	14.5
Colour temperature (K)	4000
IK rating	IK03
Electrical protection	Class II
Fixture luminous flux (lm)	1600
Dimmable	N
CRI (Ra)	80
Housing colour	White
Housing	PC Polycarbonate
General application	Residential & Consumer,Retail

Photometry



Technical drawings



Data table

GENERAL DATA

Product name	LED PIPE L1500 NW
Technology	LED
Housing	PC Polycarbonate

General application	Residential & Consumer, Retail
Operating temperature range (°C)	-20°C - 40°C
ETIM Class	EC000109

OPTICAL DATA

Fixture luminous flux (lm)	1600
Luminaire efficacy (lm/W)	110
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0

ELECTRICAL DATA

Total power consumption (W)	14.5
Mains voltage (V)	220-240V~
Lamp power factor	0.7
Electrical protection	Class II
Control gear required	No
Dimmable	N
Drive current (mA)	150
Inrush Current (A)	100
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	87
Max. Luminaires per 13A C Breaker	113
Max. Luminaires per 16A C Breaker	142
Max. Luminaires per 20A C Breaker	174
Max. Luminaires per 10A B Breaker	51
Max. Luminaires per 13A B Breaker	68
Max. Luminaires per 16A B Breaker	84
Max. Luminaires per 20A B Breaker	105

LIFETIME DATA

Lumen maintenance - L70 B50	30000
-----------------------------	-------

PHYSICAL DATA

Housing colour	White
IP rating	IP20
IK rating	IK03
Diffuser material	PC Polycarbonate
Nominal Product Length (mm)	1500
Nominal Product Width (mm)	24
Nominal Product Height (mm)	35
Weight (kg)	0.213

PACKAGING


Single packaging type	Carton
Product EAN number	5410288513706
Packaging single length / height (cm)	150.4
Packaging single width (cm)	4.6
Packaging single depth (cm)	3.1
DUN14 (outer)	15410288513703
Units per outer package	24
Packaging outer length / height (cm)	152.0
Packaging outer width (cm)	20.5
Packaging outer depth (cm)	21.5


SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No

Energy label

SYLVANIA 0051370

 This luminaire contains built-in LED lamps

 } LED

The lamps cannot be changed in the luminaire.

874/2012 